Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

V - 5 Printing date 19.01.2016 Revision: 19.01.2016 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: S100 Total Cleaner + · Article number: 2003, 2031, 2015 · 1.2 Relevant identified uses of the substance or mixture and uses advised against Void · Application of the substance / the mixture Cleaning agent/ Cleaner 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Dr.O.K.Wack Chemie GmbH Bunsenstrasse 6 D - 85053 Ingolstadt Tel. +49 841-6350 Fax +49 841-63558 www.wackchem.com wack.info@wackchem.com · Further information obtainable from: Safety department • 1.4 Emergency telephone number: During business hours: +49 841 63523 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 · Signal word Warning Hazard statements H319 Causes serious eye irritation. Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of the substances with nonhazardous additions.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2016

V - 5

Revision: 19.01.2016

Trade name: S100 Total Cleaner +

	(Contd.	. of page
 Dangerous components: 		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol 🚸 Flam. Liq. 2, H225; 🐠 Eye Irrit. 2, H319	1-<3%
CAS: 111798-26-6	2-Ethylhexylpolyethylenglycoletherphosphorsäurepartialester, Na- Salz	1-<3%
CAS: 85711-69-9	Sulfonsäure, C14-17-sec-Alkan-, Natriumsalze Eye Dam. 1, H318; () Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	1-<3%

· SVHC None

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air.
- After skin contact:

Generally the product does not irritate the skin. Rinse with warm water.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2016

V - 5

Revision: 19.01.2016

Trade name: S100 Total Cleaner +

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions: Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

64-17-5 ethanol			
Oral	DNEL system. effects (long-term)	87 mg/kg KG/Tag (Consumer)	
Dermal	DNEL systemic effects	343 mg/kg (Worker)	
	DNEL system. effects (long-term)	206 mg/kg KG/Tag (Consumer)	
Inhalative	DNEL system. effects (long-term)	114 mg/m³ (Consumer)	
		950 mg/m³ (Worker)	
	DNEL local effects (short-term)	950 mg/m³ (Consumer)	
		1900 mg/m³ (Worker)	

64-17-5 ethanol

PNEC 0,79 mg/l (Meerwasser)

0,96 mg/l (fresh water)

· Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· Respiratory protection: Not required.

· Protection of hands: After each cleaning use treatment creams, for very dry skin greasy ointments.

· Material of gloves Not required.

Penetration time of glove material Not required.

(Contd. on page 4)

(Contd. of page 2)

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

V - 5

Printing date 19.01.2016

Trade name: S100 Total Cleaner +

· Eye protection: Not required.

SECTION 9: Physical and che	emical properties
 9.1 Information on basic phys General Information Appearance: Form: 	sical and chemical properties
Colour:	Yellow
· Odour:	Characteristic
· Odour threshold:	Not determined
· pH-value at 20 ℃:	7,5+/-0,2
 Change in condition Melting point/Melting range Boiling point/Boiling range: 	
· Flash point:	Not applicable. None
· Ignition temperature:	Not determined
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Void Void
· Vapour pressure at 20 ℃:	23,4 hPa
• Density at 20 °C:	1,03+/-0,2 g/cm ³
· Solubility in / Miscibility with water:	Fully miscible.
 Viscosity: Dynamic at 20 °C: Kinematic: 	130+/-20 mPas Not determined. Not determined
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Store away from oxidising agents.

10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

(Contd. on page 5)

EU

Revision: 19.01.2016

(Contd. of page 3)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2016

V - 5

Revision: 19.01.2016

Trade name: S100 Total Cleaner +

(Contd. of page 4)

SECTION	11: Toxico	logical information				
		toxicological effects				
Acute tox	icity Based	l on available data, the classification criteria are not met.				
	LD/LC50 values relevant for classification:					
64-17-5 ethanol						
Oral	LD50 1	10470 mg/kg (rat)				
Dermal		> 2000 mg/kg (rabbit)				
Inhalative		>20 mg/l (mouse)				
		nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz				
Oral	-	> 5000 mg/kg (rat)				
		in biological assay: Not determined				
	rritant effec					
		tion Based on available data, the classification criteria are not met.				
	e ye damage erious eye in					
		sensitisation Based on available data, the classification criteria are not met.				
		ogenity, mutagenicity and toxicity for reproduction)				
		ity Based on available data, the classification criteria are not met.				
		ed on available data, the classification criteria are not met.				
Reproduc	tive toxicit	y Based on available data, the classification criteria are not met.				
STOT-sin	gle exposu	re Based on available data, the classification criteria are not met.				
STOT-rep	eated expo	sure Based on available data, the classification criteria are not met.				
		ased on available data, the classification criteria are not met.				
SECTION	12: Ecolog	lical information				
· 12.1 Toxic	citv					
Aquatic to	•					
64-17-5 et	oxicity:					
	-					
	thanol	a/l (daphnia magna)				
	thanol > 10000 m	g/l (daphnia magna) (leuciscus idus)				
111/98-26	thanol > 10000 m 8140 mg/l	(leuciscus idus)				
	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz				
LC50/96h	thanol > 10000 m 8140 mg/l 5-6 2-Ethylr 75 mg/l (or	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15)				
LC50/96h EC50/24h	thanol > 10000 m 8140 mg/l 5-6 2-Ethylh 75 mg/l (or 342 mg/l (o	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11)				
LC50/96h EC50/24h EC50/48h	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh 75 mg/l (or 342 mg/l (o 267 mg/l (o	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11)				
LC50/96h EC50/24h EC50/48h LC50/48h	thanol > 10000 m 8140 mg/l 5-6 2-Ethylh 75 mg/l (or 342 mg/l (o 267 mg/l (o 260 mg/l (l	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15)				
LC50/96h EC50/24h EC50/48h LC50/48h	thanol > 10000 m 8140 mg/l 5-6 2-Ethylr 75 mg/l (or 342 mg/l (o 267 mg/l (o 260 mg/l (l istence and	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) d degradability No further relevant information available.				
LC50/96h EC50/24h EC50/48h LC50/48h • 12.2 Pers • 12.3 Bioa	thanol > 10000 m 8140 mg/l 5-6 2-Ethylf 75 mg/l (or 342 mg/l (o 267 mg/l (o 260 mg/l (l istence and ccumulativ	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) d degradability No further relevant information available. e potential No further relevant information available.				
LC50/96h EC50/24h EC50/48h LC50/48h • 12.2 Pers • 12.3 Bioa • 12.4 Mobi	thanol > 10000 m 8140 mg/l 5-6 2-Ethylh 75 mg/l (or 342 mg/l (or 267 mg/l (or 267 mg/l (or 260 mg/l (l istence and ccumulative ility in soil l	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) I degradability No further relevant information available. e potential No further relevant information available. No further relevant information available.				
LC50/96h EC50/24h EC50/48h LC50/48h • 12.2 Pers • 12.3 Bioa • 12.4 Mobi	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh 75 mg/l (or 342 mg/l (or 267 mg/l (or 260 mg/l (l istence and ccumulativ ility in soil l al ecologica	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) d degradability No further relevant information available. e potential No further relevant information available.				
LC50/96h EC50/24h EC50/48h LC50/48h • 12.2 Pers • 12.3 Bioa • 12.4 Mobi • Additiona	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh 75 mg/l (or 342 mg/l (or 267 mg/l (or 267 mg/l (or 260 mg/l (l istence and ccumulative ility in soil l al ecologica notes:	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) I degradability No further relevant information available. e potential No further relevant information available. No further relevant information available.				
LC50/96h EC50/24h EC50/48h LC50/48h • 12.2 Pers • 12.3 Bioa • 12.4 Mobi • Additiona • General n The surfac	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh 75 mg/l (or 342 mg/l (or 267 mg/l (or 267 mg/l (or 260 mg/l (dr istence and ccumulative ility in soil l al ecologica otes: ctant(s) cont	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) d degradability No further relevant information available. e potential No further relevant information available. No further relevant information available. No further relevant information available. information:				
LC50/96h EC50/24h EC50/48h LC50/48h 12.2 Pers 12.3 Bioa 12.4 Mobi Additiona General m The surfac Regulation competen	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh 75 mg/l (or 342 mg/l (or 267 mg/l (or 267 mg/l (or 260 mg/l (la istence and ccumulative ility in soil l al ecological otes: ctant(s) cont ctant(s) no.64 t authorities	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) deuciscus idus) (DIN 38412/11) leuciscus idus) (DIN 38412/15) d degradability No further relevant information available. e potential No further relevant information available. No further relevant information available. No further relevant information available. h information: tained in this preparation complies(comply) with the biodegradability criteria as laid down 48/2004 on detergents. Data to support this assertion are held at the disposal of the of the Member States and will be made available to them, at their direct request or at the				
LC50/96h EC50/24h EC50/48h LC50/48h 12.2 Pers 12.3 Bioa 12.4 Mobi Additiona General m The surfac Regulation competen request of	thanol > 10000 m 8140 mg/l 6-6 2-Ethylh 75 mg/l (or 342 mg/l (or 267 mg/l (or 260 mg/l (l istence and ccumulative ility in soil l al ecological otes: ctant(s) cont ctant(s) cont a detergent	(leuciscus idus) nexylpolyethylenglycoletherphosphorsäurepartialester, Na-Salz ncorhynchus mykiss) (DIN 38412/15) daphnia magna) (DIN 38412/11) daphnia magna) (DIN 38412/11) leuciscus idus) (DIN 38412/15) d degradability No further relevant information available. e potential No further relevant information available. No further relevant information available. No further relevant information available. h information: tained in this preparation complies(comply) with the biodegradability criteria as laid down				

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

Revision: 19.01.2016

(Contd. of page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2016

Trade name: S100 Total Cleaner +

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	None No
14.6 Special precautions for user	None
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

V - 5

Page 6/7

Dr.O.K.Wack Chemie and Dr. Wack garantiert Premium Qualität

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2016

V - 5

Revision: 19.01.2016

(Contd. of page 6)

Trade name: S100 Total Cleaner +

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
Abbreviations and acronyms:
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3
* Data compared to the previous version altered.

EU -