## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 17-5-2018 Version: 1.0

SECTION 1: Identification of the substar	ice/mixture and of the com	pany/undertaking	
1.1. Product identifier			
Product form : Mixture			
Trade name :	Polo Fork Oil SAE 7.5		
Product code :	PK.40.01		
Type of product :	Jse in lubricants		
Product group :	Trade product		
1.2. Relevant identified uses of the substan	ceormixtureandusesadviseda	gainst	
1.2.1. Relevant identified uses			
Main use category :	ndustrial use, Professional use, Consu	imer use	
Use of the substance/mixture :	Hydraulic oil		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the safety data	sheet		
POLO Motorrad und Sportswear GmbH			
Polostraße 1			
D-41363 Jüchen			
Tel: 0049 (0)2165 84 40 200 E-Mail: info@polo-motorrad.com			
1.4. Emergency telephone number			
Country Organisation/Company	Address	Emergency number	Comment
United Kingdom National Poisons Information	Penarth	0344 892 0111	
Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0044 002 0111	
SECTION 2: Hazardsidentification			
2.1. Classification of the substance or mixtu			
	-		
Classification according to Regulation (EC) No	. 12 <i>72</i> /2008 [CLP]		
Not classified			

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2.	Labelelements	
Labelling	according to Regulation (EC) No.	1272/2008 [CLP]
EUH-state	ements	: EUH208 - Contains Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)- 6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N- bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2- methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H- benzotriazole-1-methylamine. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

No additional information available

SECTIC	ECTION 3: Composition/information on ingredients	
3.1.	.1. Substances	
Not appli	lot applicable	
3.2.	.2. Mixtures	
Commer	comments : Highly refined mineral oils and additives.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Productidentifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light naphthenic	(CAS-No.) 64742-53-6 (EC-No.) 265-156-6 (EC Index-No.) 649-466-00-2 (REACH-no) 01-2119480375-34	50 - 80	Asp. Tox. 1, H304

Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). :
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Do not induce vomiting.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects	: No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards a rising from the sub-	stance or mixture
Fire hazard	: Combustible liquid.
Hazardous decomposition products in case of	: Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide,
fire	carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.
C.4.C. Francisco en condem	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containing	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2.	Conditions for safe storage, includin	g any incompatibilities
Storage	conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage	temperature	: 0 - 40 °C
7.3.	Specific end use(s)	
No addi	tional information available	

# SEC TION 8: Exposure controls/personal protection 8.1. Control parameters Polo Fork Oil SAE 7.5 EU Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction).

#### 8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness(mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR), Polyvinylchloride (PVC)	4 (> 120 minutes), 5 (> 240 minutes), 6 (> 480 minutes)	>=0,35	3 (> 0.65)	EN 374

## Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical p	properties	
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Colour	: Yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: -51 °C - ASTM D5950 (pour point)	
Boiling point	: No data available	
17-5-2018	EN (English)	3/7

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flash point	: 162 °C - ASTM D92 (COC)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,896 kg/l (15 °C) - ASTM D4052
Solubility	: Water : Practically not miscible.
Log Pow	: No data available
Viscosity, kinematic	: 32,1 mm²/s (40 °C) - ASTM D7279
Viscosity, dynamic	: No data available
Explosive properties	: Presents no particular fire or explosion hazard.
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
9.2. Other information	
VOC content	: 0%

SECTION	ON 10: Sability and reactivity
10.1.	Reactivity
The pro	oduct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable u	under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effective	cts
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Distillates (petroleum), hydrotreated light	naphthenic (64742-53-6)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5,53 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Polo Fork Oil SAE 7.5	
Viscosity, kinematic	32,1 mm²/s (40 °C) - ASTM D7279

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	<u> </u>		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: The product is not considered harmfu effects in the environment.	I to aquatic organisms nor to c	ause long-term adverse
Acute aquatic toxicity	: Not classified		
Chronic aquatic toxicity	: Not classified		
Distillates (petroleum), hydrotreated light napl	nthenic (64742-53-6)		
LC50 fish 1	> 100 mg/l (96 h)		
NOEC (acute)	>= 100 (72h)		
12.2. Persistence and degradability			
Distillates (petroleum), hydrotreated light napl	nthenic (64742-53-6)		
Persistence and degradability	Not readily biodegradable. Inherently	biodegradable.	
12.3. Bioaccumulative potential			
Distillates (petroleum), hydrotreated light napl	nthenic (64742-53-6)		
Bioaccumulative potential	Bioaccumulative potential.		
12.4. Mobility in soil			
Distillates (petroleum), hydrotreated light napl	nthenic (64742-53-6)		
Ecology - soil	Insoluble in water.		
12.5. Results of PBT and vPvB assessment			
Component			
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	This substance/mixture does not mee This substance/mixture does not mee		
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Do not allow into drains or water con licensed collector's sorting instruction		ntainer in accordance with
Product/Packaging disposal recommendations	Dispose in a safe manner in accorda	nce with local/national regulation	ons.
European List of Waste (LoW) code	: 13 01 10* - mineral based non-chlorir	nated hydraulic oils	
SECTION 14: Transport information			
In accordance with ADR / RID / IMDG / IATA / ADN			
ADR IMDG	IATA	ADN	RID
14.1. UN number			
Not applicable Not applicable	Not applicable	Not applicable	Not applicable

14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### 14.6. Special precautions for user

- Overland transport Not applicable

- Transport by sea Not applicable

- Air transport Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the	REACH Regulation (EC) No 1907/2006:
--	-------------------------------------

effects, 3.9 and 3.10	hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic	
-----------------------	---	--

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0%

#### 15.1.2. National regulations

15.2.

No additional information available

## Chemical safety assessment No chemical safety assessment has been carried out For the following substances of this mixture a chemical safety assessment has been carried out Distillates (petroleum), hydrotreated light naphthenic

#### SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

Asp. Tox. 1 Aspiration hazard, Category 1 H304 May be fatal if swallowed and enters airways.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EUH208	Contains Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H- Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H- benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product