Printing date 25.11.2014 V - 4 Revision: 25.11.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: \$100 Visor & Helmet Cleaner
- · Article number: 2409
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Void
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dr.O.K.Wack Chemie GmbH

Bunsenstrasse 6

D - 85053 Ingolstadt

Tel. +49 841-6350 Fax +49 841-63558

www.wackchem.com

wack.info@wackchem.com

- Further information obtainable from: Safety department
- 1.4 Emergency telephone number: During business hours: +49 841 63523

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R10: Flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS02
- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

– E



Printing date 25.11.2014 V - 4 Revision: 25.11.2014

Trade name: \$100 Visor & Helmet Cleaner

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of the substances with nonhazardous additions.
- Dangerous components:

Reg.nr.: 01-2119457610-43-xxxx Flam. Lig. 2, H225; Eye Irrit. 2, H319

10-<20%

- SVHC None
- · Additional information: For the wording of the listed risk phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Rinse with warm water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 25.11.2014 V - 4 Revision: 25.11.2014

Trade name: S100 Visor & Helmet Cleaner

See Section 13 for disposal information.

(Contd. of page 2)

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| · DNELs 64-17-5 ethanol |                                  |                             |  |  |
|-------------------------|----------------------------------|-----------------------------|--|--|
|                         |                                  |                             |  |  |
| Dermal                  | DNEL system. effects (long-term) | 206 mg/kg KG/Tag (Consumer) |  |  |
|                         | DNEL systemic effects            | 343 mg/kg (Worker)          |  |  |
| Inhalative              | DNEL local effects (short-term)  | 950 mg/m³ (Consumer)        |  |  |
|                         |                                  | 1900 mg/m³ (Worker)         |  |  |
|                         | DNEL system. effects (long-term) | 114 mg/m³ (Consumer)        |  |  |
|                         |                                  | 950 mg/m³ (Worker)          |  |  |

### · PNECs

#### 64-17-5 ethanol

PNEC 0,79 mg/l (Meerwasser)

0,96 mg/l (fresh water)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

After each cleaning use treatment creams, for very dry skin greasy ointments.

- · Material of gloves Not required.
- · Penetration time of glove material Not required.

(Contd. on page 4)



Printing date 25.11.2014 V - 4 Revision: 25.11.2014

Trade name: \$100 Visor & Helmet Cleaner

Eye protection: Not required.

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Clear

Odour: Fruit-like

Odour threshold: Not determined

· **pH-value:** Neutral

· Change in condition

Melting point/Melting range: < -5 °C Boiling point/Boiling range: 78 - 100 °C

· Flash point: 28 °C

· Ignition temperature: Not determined

· **Self-igniting:** Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapour mixtures

are possible.

· Explosion limits:

Lower: Void Upper: Void

· Vapour pressure at 20 °C: 28 hPa

• **Density at 20 °C:** 0,97 +/- 0,02 g/cm<sup>3</sup>

· Solubility in / Miscibility with

water: Soluble.

· Viscosity:

Dynamic: Not determined
Kinematic: Not determined

• **9.2 Other information** No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Store away from oxidizing agents.
- 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Printing date 25.11.2014 V - 4 Revision: 25.11.2014

Trade name: S100 Visor & Helmet Cleaner

(Contd. of page 4)

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

#### 64-17-5 ethanol

| Oral       | LD50     | 10470 mg/kg (rat)     |
|------------|----------|-----------------------|
| Dermal     |          | > 2000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | > 20 mg/l (mouse)     |

- · Specific symptoms in biological assay: Not determined
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

## 64-17-5 ethanol

EC50/48h > 10000 mg/l (daphnia magna) LC50/48h 8140 mg/l (leuciscus idus)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

- El



Trade name: \$100 Visor & Helmet Cleaner

(Contd. of page 5)

| SECTION 14: Transport information   |   |
|---|---|
| · 14.1 UN-Number<br>· ADR, ADN, IMDG, IATA                                | Void  |
| · 14.2 UN proper shipping name<br>· ADR, ADN, IMDG, IATA                  | Void  |
| · 14.3 Transport hazard class(es)   |   |
| · ADR, ADN, IMDG, IATA<br>· Class   | Void  |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                                 | Void  |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                      | None<br>No  |
| · 14.6 Special precautions for user                                       | None  |
| · 14.7 Transport in bulk according to Ann<br>MARPOL73/78 and the IBC Code | ex II of<br>Not applicable.                           |
| Transport/Additional information:   |   |
| · ADR<br>· Remarks:   | Not dangerous good. ADR Special Provisions No.144.    |
| · IMDG<br>· Remarks:  | Not dangerous good. IMDG-Code Special Provisions 144  |
| · IATA<br>· Remarks:  | Not dangerous good. IATA Special Provisions No. A 58. |
| UN "Model Regulation":  | -   |

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

R11 Highly flammable.

· Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

\* Data compared to the previous version altered.

- FI