

Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 1 / 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

MD-CA-STAR 2K, Comp. A Article number: MGL.Star.S10

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Marston Domsel GmbH

Bergheimer Str. 15 53909 Zülpich / GERMANY Phone +49 (0) 22 52 94 15 0 Fax +49 (0) 22 52 17 44

Homepage www.marston-domsel.de E-mail info@marston-domsel.de

Address enquiries to

Technical information info@marston-domsel.de
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

see SECTION 16

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

2.3 Other hazards

**Human health dangers** People who are allergic to cyanacrylates should avoid the use of the product.

Other hazards none



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 2 / 10

# SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

Range [%]	Substance
80 - < 100	Ethyl-2-cyanoacrylate
	CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9
	GHS/CLP: Eye Irrit. 2: H319 - STOT SE 3: H335 - Skin Irrit. 2: H315
1 - 10	Dimethyl siloxane, reaction product with silica
	CAS: 67762-90-7
1 - 10	Acrylpolymer
< 0,1	1,4-Dihydroxybenzene
,	CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4
	GHS/CLP: Carc. 2: H351 - Muta. 2: H341 - Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M = 10

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Do not open bonded eyelids forcibly and without any special care.

**Ingestion** Get medical advice.

Rinse out mouth and give plenty of water to drink.

Induce vomiting if patient is conscious, seek medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Nitrogen oxides (NOx). Carbon monoxide (CO).



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 3 / 10

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Collect contaminated firefighting water separately, must not be discharged into the drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from all sources of ignition. Forms slippery surfaces with water.

Use breathing apparatus if exposed to vapours/dust/aerosol.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Avoid spilling or spraying in enclosed areas.

Keep away from all sources of ignition - Refrain from smoking.

Highly volatile, flammable components are liberated in processing.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers that are approved specifically for the substance/product.

Provide solvent-resistant and impermeable floor.

Do not store together with oxidizing agents.

Protect from heat/overheating.

Keep container in a well-ventilated place.

Keep container tightly closed.

Recommended storage temperature: 2 - 8°C (35,6 - 46,4°F)

#### 7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 4 / 10

# SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Ethyl-2-cyanoacrylate

CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9

Short-term exposure (15-minute): 0,3 ppm, 1,5 mg/m<sup>3</sup>

Dimethyl siloxane, reaction product with silica

CAS: 67762-90-7

Long-term exposure: 6 mg/m³, total inhalable dust; (2,4, Respirable fraction)

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

**Eye protection** Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.
In full contact:

> 0,4 mm/ Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

> 0,4 mm/ Nitrile rubber, >480 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

**Respiratory protection** Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 5 / 10

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

**Form** liquid Color colourless Odor pungent

**Odour threshold** No information available.

pH-value not applicable pH-value [1%] not applicable

Boiling point [°C] No information available.

Flash point [°C] 80 (176°F)

Flammability (solid, gas) [°C] No information available. Lower explosion limit No information available. No information available. **Upper explosion limit** 

**Oxidising properties** 

Vapour pressure/gas pressure [kPa] No information available.

Density [g/ml]

Bulk density [kg/m³] not applicable Solubility in water insoluble reacts with water

Partition coefficient [n-octanol/water] No information available.

not applicable

Viscosity

Relative vapour density determined

in air

No information available.

**Evaporation speed** No information available. Melting point [°C] No information available. Autoignition temperature [°C] No information available.

Decomposition temperature [°C] not determined

9.2 Other information

none

#### SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with water. Reactions with amines. Reactions with alcohols. Reactions with alkalies (lyes).

# 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 6 / 10

#### 10.5 Incompatible materials

See SECTION 10.3.

#### 10.6 Hazardous decomposition products

Irritant gases/vapours.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

Product		
inhalative, Based on the available information, the classification criteria are not fulfilled.:		
dermal, Based on the available information, the classification criteria are not fulfilled.:		
oral, Based on the available information, the classification criteria are not fulfilled.:		

Substance		
1,4-Dihydroxybenzene, CAS: 123-31-9		
LD50, dermal, Rat: > 900 mg/kg.		
LD50, oral, Rat: 302 mg/kg.		
Ethyl-2-cyanoacrylate, CAS: 7085-85-0		
LD50, oral, Rat: > 5000 mg/kg.		
Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7		
LD50, oral, Rat: > 5000 mg/kg.		

Serious eye damage/irritation Toxicological data of complete product are not available.

Irritant

Calculation method

**Skin corrosion/irritation**Toxicological data of complete product are not available.

Irritant

Calculation method

**Respiratory or skin sensitisation** Toxicological data of complete product are not available.

No classification. Calculation method

Specific target organ toxicity —

single exposure

Toxicological data of complete product are not available.

May cause respiratory irritation.

Calculation method

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

**Mutagenicity**Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 7 / 10

# SECTION 12: Ecological information

#### 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled .:

Substance

1,4-Dihydroxybenzene, CAS: 123-31-9

LC50, (96h), Pimephales promelas: 0,044 mg/l (IUCLID).

EC50, (24h), Daphnia magna: 0,12.

IC50, (72h), Pseudokirchneriella subcapitata: 0,335 mg/l (IUCLID).

EL50, Bacteria: 0,038 mg/l/30min (IUCLID).

Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7

EC0, (24h), Daphnia magna: =10000 mg/l (OECD202)

EC0, (96h), Brachidanio rerio: =10000 mg/l (OECD203).

ErC50, (72h), Scenedesmus subspicatus: > 10000 mg/l (OECD 201)

# 12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not applicable
Biological degradability not applicable

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

Do not allow product to reach the drainage.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### **Product**

Dispose of as hazardous waste.

Waste no. (recommended) 080409\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 8 / 10

# **SECTION 14: Transport information**

#### 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA 3334

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with

**IMDG** 

NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA Aviation regulated liquid, n.o.s. (Cyanoacrylates)[only for more then 0,5l]

- Label

Mh

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA 9

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA III



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 9 / 10

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

# 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0%

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### 16.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

**Hazard pictograms** 

WARNING

Signal word

Skin Irrit. 2: H315 Causes skin irritation. Eye Irrit. 2: H319 Causes serious eye irritation. STOT SE 3: H335 May cause respiratory irritation.

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

# 16.2 Hazard statements (SECTION 03)

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H315 Causes skin irritation.

H335 May cause respiratory irritation. H319 Causes serious eye irritation.



Date printed 14.08.2018, Revision 14.08.2018

Version 01

Page 10 / 10

#### 16.3 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.4 Other information

Customs Tariff not determined

Modified position none

Copyright: Chemiebüro®



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 1 / 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

MD-CA-STAR 2K, Comp. B Article number: MGL.Star.S10

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Marston Domsel GmbH

Bergheimer Str. 15 53909 Zülpich / GERMANY Phone +49 (0) 22 52 94 15 0 Fax +49 (0) 22 52 17 44

Homepage www.marston-domsel.de E-mail info@marston-domsel.de

Address enquiries to

Technical information info@marston-domsel.de
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

2.3 Other hazards

Other hazards none

# SECTION 3: Composition / Information on ingredients

# Product-type:

The product is a mixture.

Range [%]	Substance
1 - 10	Dimethyl siloxane, reaction product with silica
	CAS: 67762-90-7

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 2 / 8

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Not required under normal conditions.

Ensure supply of fresh air.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Rinse out mouth and give plenty of water to drink.

Do not induce vomiting. Get medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

treat symptomatically

Forward this sheet to the doctor.

#### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Alcohol-resistant foam.

Dry powder.
Carbon dioxide.
Full water jet

Extinguishing media that must not

be used

,

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective clothing.

#### 6.2 Environmental precautions

No special measures necessary.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

# Marston Domsel GmbH

53909 Zülpich



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 3 / 8

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid spilling or spraying in enclosed areas.

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Use barrier skin cream.

Wash hands before breaks and after work.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

No information available.

Recommended storage temperature: 8 - 21°C

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

# SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Dimethyl siloxane, reaction product with silica

CAS: 67762-90-7

Long-term exposure: 6 mg/m³, total inhalable dust; (2,4, Respirable fraction)

#### 8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Tightly fitting goggles. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information. In splash contact:

> 0.4 mm/ Nitrile rubber, > 120 min (EN 374-1/-2/-3). In full contact:

> 0,4 mm/ Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 4 / 8

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form liquid Color white

**Odor** characteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

**Boiling point [°C]**No information available.

Flash point [°C]

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/ml] 1,17 (25°C / 77,0°F)

Bulk density [kg/m³] not applicable

Solubility in waterNo information available.Partition coefficient [n-octanol/water]No information available.ViscosityNo information available.Relative vapour density determinedNo information available.

in air

Evaporation speed No information available.

Melting point [°C] No information available.

Autoignition temperature [°C] No information available.

Decomposition temperature [°C] No information available.

9.2 Other information

none

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with oxygen.

# 10.4 Conditions to avoid

No information available.

#### 10.5 Incompatible materials

Strong oxidizing agent.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 5 / 8

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Product

inhalative. Based on the available information, the classification criteria are not fulfilled.:

dermal, Based on the available information, the classification criteria are not fulfilled .:

oral, Based on the available information, the classification criteria are not fulfilled .:

Substance

Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7

LD50, oral, Rat: > 5000 mg/kg.

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity — single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity

Reproduction toxicity

Carcinogenicity

Aspiration hazard

General remarks

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.:

Substance

Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7

EC0, (24h), Daphnia magna: =10000 mg/l (OECD202).

EC0, (96h), Brachidanio rerio: =10000 mg/l (OECD203).

ErC50, (72h), Scenedesmus subspicatus: > 10000 mg/l (OECD 201)

#### 12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant

Biological degradability

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 6 / 8

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage. Ecotoxicological data are not available.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended) 080409\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*

#### SECTION 14: Transport information

#### 14.1 UN number

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Inland navigation (ADN)

Transport by land according to ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 7 / 8

#### 14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applica

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

no

Inland navigation (ADN)

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

### 14.6 Special precautions for user

not applicable

Relevant information under SECTION 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

not applicable

- VOC (2010/75/CE)

< 3%

# 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



Date printed 14.08.2018, Revision 14.08.2018

Version 03. Supersedes version: 02

Page 8 / 8

# **SECTION 16: Other information**

#### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent. Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.2 Other information

# Classification procedure

Modified position

SECTION 3 deleted: Calcium silicate

SECTION 2 been added: No classification.

SECTION 2 deleted: Eye Irrit. 2

SECTION 2 deleted: H319 Causes serious eye irritation.

SECTION 2 been added: The product does not require a hazard warning label in accordance

with GHS/CLP-directives.

SECTION 2 deleted: The product is required to be labelled in accordance with regulation (EC)

No 1272/2008 (CLP).

SECTION 15 deleted: Observe employment restrictions for mothers-to-be and nursing

mothers. Observe employment restrictions for young people.

Copyright: Chemiebüro®