Date printed 08.11.2018, Revision 08.11.2018

53909 Zülpich



Page 1 / 12

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier		
		MD-met (Part A) Article number: MET	
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Adhesive	
1.2.2	2 Uses advised against		
		None known.	
1.3 Details of the supplier of the safety data sheet		ety data sheet	
	Company	Marston Domsel GmbH Bergheimer Str. 15 53909 Zülpich / GERMANY Phone +49 (0) 22 52 94 15 0 Fax +49 (0) 22 52 17 44 Homepage www.marston-domsel.de E-mail info@marston-domsel.de	
	Address enquiries to		
	Technical information	info@marston-domsel.de	
	Safety Data Sheet	sdb@chemiebuero.de	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		

#### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Eye Irrit. 2: H319 Causes serious eye irritation. Skin Irrit. 2: H315 Causes skin irritation. Skin Sens. 1: H317 May cause an allergic skin reaction. Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. Muta. 2: H341 Suspected of causing genetic defects.



Version 05. Supersedes version: 04

2.2 Label elements

	The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).	
Hazard pictograms		
Signal word	DANGER	
Contains:	Reaction product: bisphenol-A-(epichlorhydrin) Epoxy resin (number average molecular weight ≤ 700)	
	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	
	2,3-epoxypropyl o-tolyl ether	
Hazard statements	H319 Causes serious eye irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. H341 Suspected of causing genetic defects.	
Precautionary statements	<ul> <li>P201 Obtain special instructions before use.</li> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P280 Wear protective gloves / protective clothing / eye protection / face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice / attention.</li> <li>P305 Store locked up.</li> <li>P501 Dispose of contents/container in accordance with local/national regulation.</li> </ul>	
Special labelling	EUH205 Contains epoxy constituents. May produce an allergic reaction.	
3 Other hazards		
Human health dangers	People who are allergic to epoxide should avoid the use of the product.	
Other hazards	Further hazards were not determined with the current level of knowledge.	

#### **SECTION 3: Composition / Information on ingredients**

#### Product-type:

2.3

The product is a mixture.

Range [%]	Substance
60 - 65	Reaction product: bisphenol-A-(epichlorhydrin) Epoxy resin (number average molecular weight ≤ 700)
	CAS: 25068-38-6, EINECS/ELINCS: 500-033-5, EU-INDEX: 603-074-00-8
	GHS/CLP: Eye Irrit. 2: H319 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
15 - 25	Aluminium powder (stabilized)
	CAS: 7429-90-5, EINECS/ELINCS: 231-072-3, EU-INDEX: 013-002-00-1
	GHS/CLP: Water-react. 2: H261 - Flam. Sol. 1: H228
5 - 10	Barium sulfate
	CAS: 7727-43-7, EINECS/ELINCS: 231-784-4
5 - 10	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane
	CAS: 1675-54-3, EINECS/ELINCS: 216-823-5, EU-INDEX: 603-073-00-2, Reg-No.: 01-2119456619-26
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - Aquatic Chronic 2: H411
1 - 5	Dimethyl siloxane, reaction product with silica
	CAS: 67762-90-7
1 - < 5	2,3-epoxypropyl o-tolyl ether
	CAS: 2210-79-9, EINECS/ELINCS: 218-645-3, EU-INDEX: 603-056-00-x, Reg-No.: 01-2119966907-18-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Muta. 2: H341 - Aquatic Chronic 2: H411

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.


Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04

Page 3 / 12

#### SECTION 4: First aid measures Description of first aid measures 4.1 General information Change soaked clothing immediately. Inhalation Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment. Skin contact When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists. Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Ingestion Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink. 4.2 Most important symptoms and effects, both acute and delayed No information available. Indication of any immediate medical attention and special treatment needed 4.3 Treat symptomatically. Forward this sheet to the doctor. SECTION 5: Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide Extinguishing media that must not Full water jet be used 5.2 Special hazards arising from the substance or mixture Risk of formation of toxic pyrolysis products. 5.3 Advice for firefighters Use self-contained breathing apparatus. Wear full protective suit. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1 Ensure adequate ventilation. Use personal protective clothing. 6.2 **Environmental precautions** Do not discharge into the drains/surface waters/groundwater. In case the product spills into drains/surface waters/groundwater, immediately inform the authorities. Methods and material for containment and cleaning up 6.3 Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations. 6.4 Reference to other sections See SECTION 8+13





Version 05. Supersedes version: 04

**SECTION 7: Handling and storage** Precautions for safe handling 7.1 Use only in well-ventilated areas. Avoid spilling or spraying in enclosed areas. Keep away from all sources of ignition - Refrain from smoking. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Do not store together with food. Do not store together with acids. Do not store together with oxidizing agents. Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

### Safety Data Sheet 1907/2006/EC - REACH (GB) D-met (Part A) Article number MET Marston Domsel GmbH

53909 Zülpich



Version 05. Supersedes version: 04 Page

SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

# Ingredients with occupational exposure limits to be monitored (GB)

Substance
Barium sulfate
CAS: 7727-43-7, EINECS/ELINCS: 231-784-4
Long-term exposure: 10 mg/m <sup>3</sup> , inhabale dust; respirable dust: 4 mg/m <sup>3</sup>
Aluminium powder (stabilized)
CAS: 7429-90-5, EINECS/ELINCS: 231-072-3, EU-INDEX: 013-002-00-1
Long-term exposure: 10 mg/m <sup>3</sup> , inhalable dust (respirable dust: 4 mg/m <sup>3</sup> )
Dimethyl siloxane, reaction product with silica
CAS: 67762-90-7
Long-term exposure: 6 mg/m <sup>3</sup> , total inhalable dust

#### DNEL

PNEC

Substance	
2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, CAS: 1675-54-3	
Industrial, dermal, Long-term - systemic effects: 8.33 mg/kg bw/d (AF=12).	
Industrial, inhalative, Long-term - systemic effects: 12.25 mg/m <sup>3</sup> (AF=12).	
general population, oral, Long-term - systemic effects: 0.75 mg/kg bw/d (AF=20).	
general population, dermal, Long-term - systemic effects: 3.571 mg/kg bw/d (AF=20).	
Substance	
2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, CAS: 1675-54-3	
oral (food), 11 mg/kg food (AF=90).	

soil, 0.196 mg/kg dw.

sediment (seaater), 0.1 mg/kg dw.

sediment (freshwater), 0.996 mg/kg dw.

sewage treatment plants (STP), 10 mg/L (AF=10).


seawater, 0.001 mg/L (AF=500).

freshwater, 0.006 mg/L (AF=50)

Safety Data Sheet 1907/2006/EC - REACH (GB) -met (Part A) Article number MET

# Marston Domsel GmbH

53909 Zülpich





Version 05. Supersedes version: 04

8.2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm/ Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0,4 mm/ butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not breathe vapour/spray. Avoid contact with eyes and skin. **Respiratory protection** Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387) Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soil. environmental exposition

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Form	pasty
Color	silver-grey
Odor	mild
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	No information available.
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,35 - 1,45
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	78000 - 87000 cP (25°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	> 200
Other information	

#### 9.2 Other information

No information available.



Version 05. Supersedes version: 04 Pag

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with amines. Reactions with acids. Reactions with alkalies (lyes).

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials


No information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# Safety Data Sheet 1907/2006/EC - REACH (GB) -met (Part A) Article number MET Marston Domsel GmbH

53909 Zülpich





Version 05. Supersedes version: 04

Page 8 / 12

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Substance
Reaction product: bisphenol-A-(epichlorhydrin) Epoxy resin (number average molecular weight ≤ 700), CAS: 25068- 38-6
LD50, dermal, Rabbit: 22800 mg/kg bw (GESTIS).
LD50, oral, Rat: 11400 mg/kg bw (GESTIS).
Barium sulfate, CAS: 7727-43-7
LD50, oral, Rat: > 2000 mg/kg (Lit.).
Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7
LD50, oral, Rat: > 5000 mg/kg.
2,3-epoxypropyl o-tolyl ether, CAS: 2210-79-9
LD50, dermal, Rat: > 2000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.
LC50, inhalative, Rat: 6,09 mg/l/4h.
2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, CAS: 1675-54-3
LD50, dermal, > 2000 mg/kg.
LD50, oral, > 2000 mg/kg.

medicinal professions, experts for occupational health and safety and toxicologists.

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Suspected of causing genetic defects. Calculation method Based on the available information, the classification criteria are fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the

# Safety Data Sheet 1907/2006/EC - REACH (GB) -met (Part A) Article number MET Marston Domsel GmbH

53909 Zülpich



Date printed 08.11.2018, Revision 08.11.2018

### SECTION 12: Ecological information

#### 12.1 Toxicity

Substance
Aluminium powder (stabilized), CAS: 7429-90-5
NOEC, (72h), Selenastrum capricornutum: >100 mg/L (IUCLID).
Reaction product: bisphenol-A-(epichlorhydrin) Epoxy resin (number average molecular weight ≤ 700), CAS: 25068- 38-6
LC50, (96h), Pimephales promelas: 3,1 mg/l (Lit.).
EC50, (48h), Daphnia magna: 1,4-1,7 mg/l (Lit.).
IC50, Bacteria: > 42,6 mg/l/18h (Lit.).
Barium sulfate, CAS: 7727-43-7
EC50, (48h), Daphnia magna: 32 mg/l (Lit.).
Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7
EC0, (24h), Daphnia magna: > 1000 mg/l (OECD 202).
EC0, (96h), Brachidanio rerio: > 10000 mg/l (OECD 203).
ErC50, (72h), Scenedesmus subspicatus: > 10000 mg/l (OECD 201).
2,3-epoxypropyl o-tolyl ether, CAS: 2210-79-9
LC50, (96h), Oncorhynchus mykiss: 7,5 mg/l.
LC50, (96h), Oncorhynchus mykiss: 2,8 - 5,6 mg/l.
EC50, (48h), Daphnia magna: 3,3 mg/l.
IC50, Bacteria: > 100 mg/l.
2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, CAS: 1675-54-3
LC50, (96h), fish: 2 mg/L.
EC50, (48h), aquatic micro-organisms: 1.8 mg/L.
ErC50, (72h), Algae: 11 mg/L.

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment.

Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04 Page 10 / 12

SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		Dispose of as hazardous waste.
	Waste no. (recommended)	080409*
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110*
SEC	TION 14: Transport information	
14.1	UN number	
	Transport by land according to ADR/RID	3082
	Inland navigation (ADN)	3082
	Marine transport in accordance with IMDG	3082
	Air transport in accordance with IATA	3082
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy resin)
	- Classification Code	M6
	- Label	
	- ADR LQ	51
	- ADR 1.1.3.6 (8.6)	Transport category (tunnel restriction code) 3 (E)
	Inland navigation (ADN)	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy resin)
	- Classification Code	M6
	- Label	
	Marine transport in accordance with IMDG	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy resin)
	- EMS	F-A, S-F
	- Label	
	- IMDG LQ	51
	Air transport in accordance with IATA	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy resin)
	- Label	



Date printed 08.11.2018, Revision 08.11.2018

14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	9
	Inland navigation (ADN)	9
	Marine transport in accordance with IMDG	9
	Air transport in accordance with IATA	9
14.4	Packing group	
	Transport by land according to ADR/RID	111
	Inland navigation (ADN)	Ш
	Marine transport in accordance with IMDG	111
	Air transport in accordance with IATA	ш
14.5	Environmental hazards	
	Transport by land according to ADR/RID	yes
	Inland navigation (ADN)	yes
	Marine transport in accordance with IMDG	MARINE POLLUTANT
	Air transport in accordance with IATA	yes
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	o 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

#### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet 1907/2006/EC - REACH (GB) -met (Part A) Article number MET

# Marston Domsel GmbH

53909 Zülpich

Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04 Page 12 / 12

#### SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

- H228 Flammable solid.
- H261 In contact with water releases flammable gases.
- H341 Suspected of causing genetic defects.
- H411 Toxic to aquatic life with long lasting effects.
- H317 May cause an allergic skin reaction.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative 16.3 Other information **Customs Tariff** 35061000 **Classification procedure** Eve Irrit. 2: H319 Causes serious eve irritation. (Calculation method) Skin Irrit. 2: H315 Causes skin irritation. (Calculation method) Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method) Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. (Calculation method) Muta. 2: H341 Suspected of causing genetic defects. (Calculation method) Modified position none

Copyright: Chemiebüro®

Date printed 08.11.2018, Revision 08.11.2018

53909 Zülpich



Page 1 / 10

SEC	TION 1: Identification of the su	ubstance/mixture and of the company/undertaking	
1.1	Product identifier		
		MD-met (Part B)	
		Article number: MET	
1.2	Relevant identified uses of th	ne substance or mixture and uses advised against	
1.2.1	Relevant uses		
		Adhesive	
1.2.2	Uses advised against		
	-	None known.	
1.3	Details of the supplier of the	safety data sheet	
	Company	Marston Domsel GmbH Bergheimer Str. 15 53909 Zülpich / GERMANY Phone +49 (0) 22 52 94 15 0 Fax +49 (0) 22 52 17 44 Homepage www.marston-domsel.de E-mail info@marston-domsel.de	
	Address enquiries to		
	Technical information	info@marston-domsel.de	
	Safety Data Sheet	sdb@chemiebuero.de	
1.4	Emergency telephone numbe	er en	
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substan	ce or mixture [REGULATION (EC) No 1272/2008]	
2.1		Skin Irrit. 2: H315 Causes skin irritation. Eye Irrit. 2: H319 Causes serious eye irritation. Skin Sens. 1: H317 May cause an allergic skin reaction. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).	
	Hazard pictograms		
	Signal word	WARNING	
	Contains:	3-Aminopropyltriethoxysilane	
		Mercaptan Polymer	
	Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.	
	Precautionary statements	<ul> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P280 Wear protective gloves / protective clothing / eye protection / face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice / attention.</li> <li>P337+P313 If eye irritation persists: Get medical advice / attention.</li> <li>P501 Dispose of contents/container in accordance with local/national regulation.</li> </ul>	
2.3	Other hazards		
	Environmental base-da	Doop not contain only DPT or vDvD cultotanges	
	Environmental hazards Other hazards	Does not contain any PBT or vPvB substances. none	

www.chemiebuero.de, Phone +49 (0)941-646 353-0, 160712





Version 05. Supersedes version: 04 P

**SECTION 3: Composition / Information on ingredients** 

#### Product-type:

#### The product is a mixture.

Range [%]	Substance
60 - 70	Mercaptan Polymer
	EINECS/ELINCS: 701-196-7
	GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
20 - 25	Calcium carbonate
	CAS: 471-34-1, EINECS/ELINCS: 207-439-9
5 - 10	Benzyl alcohol
	CAS: 100-51-6, EINECS/ELINCS: 202-859-9, EU-INDEX: 603-057-00-5
	GHS/CLP: Acute Tox. 4: H302 H332 - Eye Irrit. 2: H319
5 - 10	2,4,6-Tris(dimethylaminomethyl)phenol
	CAS: 90-72-2, EINECS/ELINCS: 202-013-9, EU-INDEX: 603-069-00-0
	GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315
0.5 - 2	3-Aminopropyltriethoxysilane
	CAS: 919-30-2, EINECS/ELINCS: 213-048-4, EU-INDEX: 612-108-00-0, Reg-No.: 01-2119480479-24
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Skin Sens. 1: H317 - Eye Dam. 1: H318
<b>Comment on component parts</b> Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	

#### **SECTION 4: First aid measures**

4.1	Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice.
	Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

#### SECTION 5: Fire-fighting measures

5.1	Extinguishing media	
	Suitable extinguishing media	Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.
	Extinguishing media that must not be used	Full water jet

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

#### Marston Domsel GmbH 53909 Zülpich

Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04

5.3 Advice for firefighters Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. 6.2 **Environmental precautions** Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Methods and material for containment and cleaning up 6.3 Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations. Reference to other sections 6.4 See SECTION 8+13 SECTION 7: Handling and storage 7.1 Precautions for safe handling No special measures necessary if used correctly. Do not eat, drink, smoke or take drugs at work. Wash hands before breaks and after work. Use barrier skin cream. Conditions for safe storage, including any incompatibilities 7.2 Keep only in original container. Do not store together with food. Do not store together with oxidizing agents. Do not store together with acids. Keep container in a well-ventilated place. Keep container tightly closed. Keep in a cool place. 7.3 Specific end use(s) See product use, SECTION 1.2



Version 05. Supersedes version: 04 Page 4 / 10

#### **SECTION 8: Exposure controls / personal protection**

#### 8.1 Control parameters

# Ingredients with occupational exposure limits to be monitored (GB)

Substance	
Calcium carbonate	
CAS: 471-34-1, EINECS/ELINCS: 207-439-9	
Long-term exposure: 10 mg/m <sup>3</sup> , inhalable dust	

#### DNEL

PNEC

dustrial, dermal, Long-term - systemic effects: 8,3 mg/kg bw/d. dustrial, inhalative, Long-term - systemic effects: 59 mg/m <sup>3</sup> . eneral population, dermal, Long-term - systemic effects: 5 mg/kg bw/d.
eneral population, dermal, Long-term - systemic effects: 5 mg/kg bw/d.
eneral population, inhalative, Long-term - systemic effects: 17,4 mg/m <sup>3</sup> .
ubstance
Aminopropyltriethoxysilane, CAS: 919-30-2
pil, 0,05 mg/kg dw.
ediment (seaater), 0,12 mg/kg dw.
ediment (freshwater), 1,2 mg/kg dw.

#### 8.2 Exposure controls

freshwater, 0,33 mg/l (AF=1000).

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,7 mm/ Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: 0,7 mm/ butyl rubber, > 120 min (EN 374)
Skin protection	not applicable
Other	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

### Safety Data Sheet 1907/2006/EC - REACH (GB) D-met (Part B) Article number MET Marston Domsel GmbH

53909 Zülpich

Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04

Page 5 / 10

#### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties Form pasty Color grey

Color	grey
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,35 - 1,45
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	> 150

#### 9.2 Other information

No information available.

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with amines. Reactions with acids and strong oxidizing agents. Reactions with alkalies (lyes).

#### 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

#### 10.5 Incompatible materials

See SECTION 10.3.

Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Substance
2,4,6-Tris(dimethylaminomethyl)phenol, CAS: 90-72-2
LD50, dermal, Rabbit: 1280 mg/kg (IUCLID).
LD50, oral, Rat: 1916-2455 mg/kg (IUCLID).
3-Aminopropyltriethoxysilane, CAS: 919-30-2
LD50, dermal, Rabbit: 4290 mg/kg bw.
LD50, oral, Rat (female): 1570 mg/kg bw.
LD50, oral, Rat (male): 2830 mg/kg bw.
LC50, inhalative, Rat (female): 16 ppm/6h (OECD 403).
LC50, inhalative, Rat (male): 5 ppm/6h (OECD 403).
Benzyl alcohol, CAS: 100-51-6
LD50, dermal, Rabbit: 2000 mg/kg.
LD50, oral, Rat: 1230 mg/kg.
LC50, inhalative, Rat: 4,178 mg/l /4h.

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## Safety Data Sheet 1907/2006/EC - REACH (GB) -met (Part B) Article number MET Marston Domsel GmbH

53909 Zülpich



Date printed 08.11.2018, Revision 08.11.2018

### SECTION 12: Ecological information

#### 12.1 Toxicity

Substance
3-Aminopropyltriethoxysilane, CAS: 919-30-2
LC50, (96h), Brachidanio rerio: > 934 mg/l.
EC50, (72h), Desmodesmus subspicatus: > 1000 mg/l.
EC50, (48h), Daphnia magna: 331 mg/l.
Benzyl alcohol, CAS: 100-51-6
LC50, (96h), Pimephales promelas: 460 mg/l.
EC50, (24h), Daphnia magna: 400 mg/l.
EC0, (96h), Scenedesmus quadricauda (algea): 640 mg/l.
EC10, (16h), Pseudomonas putida: 658 mg/l.

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	

#### 12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required or not conducted.

#### 12.6 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Dispose of as hazardous waste.
Waste no. (recommended)	080409*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110*

### Safety Data Sheet 1907/2006/EC - REACH (GB) D-met (Part B) Article number MET Marston Domsel GmbH

53909 Zülpich

Date printed 08.11.2018, Revision 08.11.2018



Version 05. Supersedes version: 04 Page 8 / 10

SEC	SECTION 14: Transport information		
14.1	UN number		
	Transport by land according to ADR/RID	2259	
	Inland navigation (ADN)	2259	
	Marine transport in accordance with IMDG	2259	
	Air transport in accordance with IATA	2259	
14.2	UN proper shipping name		
	Transport by land according to ADR/RID	Triethylenetetramine, solution	
	- Classification Code	C7	
	- Label		
	- ADR LQ	11	
	- ADR 1.1.3.6 (8.6)	Transport category (tunnel restriction code) 2 (E)	
	Inland navigation (ADN)	Triethylenetetramine, solution	
	- Classification Code	C7	
	- Label	A CONTRACT OF A	
	Marine transport in accordance with IMDG	Triethylene Tetramine, solution	
	- EMS	F-A, S-B	
	- Label	The second secon	
	- IMDG LQ	11	
	Air transport in accordance with IATA	Triethylene Tetramine, solution	
	- Label		
14.3	Transport hazard class(es)		
	Transport by land according to ADR/RID	8	
	Inland navigation (ADN)	8	
	Marine transport in accordance with IMDG	8	
	Air transport in accordance with IATA	8	



14.4 Packing group Transport by land according to Ш ADR/RID Inland navigation (ADN) П Marine transport in accordance with II IMDG Air transport in accordance with IATA || 14.5 Environmental hazards Transport by land according to no ADR/RID Inland navigation (ADN) no Marine transport in accordance with no IMDG Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

SECTION 15: Regulatory information			
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).	
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
	- VOC (2010/75/CE)	not applicable	
15.2	15.2 Chemical safety assessment		
		Chemical safety assessments for substances in this mixture were not carried out.	

## SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 03)

H412 Harmful to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

Safety Data Sheet 1907/2006/EC - REACH (GB) -met (Part B) Article number MET Marston Domsel GmbH

53909 Zülpich



Date printed 08.11.2018, Revision 08.11.2018

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3	Other information	
	Customs Tariff	35061000
	Classification procedure	Skin Irrit. 2: H315 Causes skin irritation. (Calculation method) Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method) Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method) Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)
	Modified position	none

Copyright: Chemiebüro®